

TEST REPORT

REPORT NUMBER : TURT150029809_REVISIED 01
APPLICANT NAME Uçar Oyuncak San.ve Tic.Ltd.Şti.
ADDRESS Hadımköy Ömerli Mah.İstanbul Yolu Cad. No:195 Arnavutköy İstanbul TÜRKİYE
FAX NO :0212 798 27 52
Attention : Mine Uçar (info@ucaroyuncak.com)
BUYER NOT GIVEN


SAMPLE DESCRIPTION :

Sample 1 One sample of light pink granule with light pink plastic piece
Sample 2 One sample of black granule with black plastic piece
Sample 3 One sample of white granule with white plastic piece
Sample 4 One sample of red granule with red plastic piece
Sample 5 One sample of navy granule with three navy plastic piece
Sample 6 One sample of purple granule with navy plastic piece
Sample 7 One sample of grey granule with grey plastic piece
Sample 8 One sample of green granule with grey plastic piece
Sample 9 One sample of orange granule with orange plastic piece
Sample 10 One sample of yellow granule with yellow plastic piece
Sample 11 One sample of blue granule with blue plastic piece
Sample 12 One sample of pink granule with pink plastic piece
Sample 13 One sample of fuchsia granule with pink plastic piece
Sample 14 One sample of cleaning bucket brush set - 147
Sample 15 One sample of princess maya & friends tea set - 151

DATE IN : 24 February, 2015 (09:43)
DATE OUT : 28 February, 2015 / 24 July,2015
COUNTRY OF ORIGIN: TURKEY
ITEM NO: 147 – 151
REFERENCE ITEM: 121
AGE GRADING: NOT GIVEN
NOTE 1: In this report, Toxic Elements Analysis and Total Phthalate Content tests results were taken from report number TURT130108487-REVISED 01 dated 16 February, 2015 by the request of the applicant.
NOTE 2: In this revised report 01, referance item was added by the request of the applicant. This report replaced the report no TURT150029809 dated on 28 February,2015 and must be used instead of it.
Report no TURT150029809 dated on 28 February,2015 is invalid.



Melahat YILDIRIM
COORDINATOR



Sinan ÖNCEL/ Customer Care Manager
Özlem ÇAVUMİRZA/Textile Laboratory
Manager



Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY
Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55
e-mail : intertekcg.turkiye @intertek.com
www.intertek-turkey.com



150029809_REVISIED 01

Test Method	Result	Requirements
-------------	--------	--------------

TEST	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Sample 7
SAFETY OF TOYS-PART 1:MECHANICAL AND PHYSICAL PROPERTIES	X	X	X	X	X	X	X
SAFETY OF TOYS-PART 2:FLAMMABILITY	X	X	X	X	X	X	X
TOXIC ELEMENTS ANALYSIS	P	P	P	P	P	P	P
TOTAL PHTHALATE CONTENT	P	P	P	P	P	P	P

TEST	Sample 8	Sample 9	Sample 10	Sample 11	Sample 12	Sample 13	Sample 14	Sample 15
SAFETY OF TOYS-PART 1:MECHANICAL AND PHYSICAL PROPERTIES	X	X	X	X	X	X	P	P (Except 7.2)
SAFETY OF TOYS-PART 2:FLAMMABILITY	X	X	X	X	X	X	P	P
TOXIC ELEMENTS ANALYSIS	P	P	P	P	P	P	X	X
TOTAL PHTHALATE CONTENT	P	P	P	P	P	P	X	X

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE/ LS : LACK OF SAMPLE

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.S.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TURKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TURKAK accreditation. Tests marked (*) in this test report are not included in the TURKAK accreditation schedule for this laboratory.

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

Specification: BS EN 71-1: 2014- Safety of Toys - Specification for Mechanical and Physical Properties

There is no age information on the toy or its packaging.
 The item was tested for children aged over 36 months by the request of the applicant
 The item was packaging in a net which was considered to be disposable.

Sample 14

SECTION	TEST	RESULTS
4	General Requirements	
4.1	Material	Pass
4.7	Edges	Pass
4.8	Points & Metallic Wires	Pass
7	Warning and Instruction for Use	
7.1	General	##
7.2	Toys not intended for children under 36 months The item, its packaging or accompanying leaflet must be labeled with: The following warning "Warning! Not suitable for children under 36 months" with a brief indication of the specific hazard.	See Comment



Test Method	Result	Requirements
-------------	--------	--------------

The text of this note is for information only and the indents do not constitute requirements of this European Standard. The information is not exhaustive and Directive 2009/48/EC and the associated guidance documents should be consulted for further details.

The toy or, its packaging or document accompanying must be labelled with:

- The name and address of the manufacturer** **(Present)**
- The name and address of the and importer.** **(Not Present)**
- type, batch, serial or model number or other element allowing of toy identification **(Present)**
- The following advisory note: "Retain for future reference", if the information is not on the toy itself **(Not Present)**
- A CE mark in the correct size and shape . **(Present)**
- Warning and other information should be in the national language(s) of the countries where the toy is marketed.

** In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer



Test Method	Result	Requirements
-------------	--------	--------------

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

Specification: BS EN 71-1: 2014- Safety of Toys - Specification for Mechanical and Physical Properties

*The item was labelled "Warning! Choking hazard. Small parts not for children under 3 years"
 The item was tested for children aged over 36 months by the request of the applicant
 The item was packaging in a net which was considered to be disposable.*

Sample 15

SECTION	TEST	RESULTS
4	General Requirements	
4.1	Material	Pass
4.7	Edges	Pass
4.8	Points & Metallic Wires	Pass
4.11	Mouth-Actuated Toys and Other Toys Intended to be Put in the Mouth	
	a) Toy intended to be put in the mouth, removable mouth pieces and other removable components of toys intended to be put in the mouth	Pass
	b) Mouthpieces and other components of toys intended to be put in the mouth	Pass
6	Packaging	
	a)Average Sheet Thickness	Pass
	b)Using drawstring or cords as a means of closing	Pass
7	Warning and Instruction for Use	
7.1	General	##
7.2	Toys not intended for children under 36 months	Pass



Test Method	Result	Requirements
-------------	--------	--------------

The text of this note is for information only and the indents do not constitute requirements of this European Standard. The information is not exhaustive and Directive 2009/48/EC and the associated guidance documents should be consulted for further details.

The toy or, its packaging or document accompanying must be labelled with:

- The name and address of the manufacturer** **(Present)**
- The name and address of the and importer.** **(Not Present)**
- type, batch, serial or model number or other element allowing of toy identification **(Present)**
- The following advisory note: "Retain for future reference", if the information is not on the toy itself **(Present)**
- A CE mark in the correct size and shape . **(Present)**
- Warning and other information should be in the national language(s) of the countries where the toy is marketed.

** In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer



Test Method	Result	Requirements
-------------	--------	--------------

Specification: BS EN 71 - 2 : 2011+ A1:2014 Safety of Toys – Flammability**Sample 14-15**

SECTION	TEST	RESULTS
4.1	General	
	Celluloid/cellulose nitrate and materials with a same burning behaviour in fire	Pass

Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 1

Light pink granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	2 ppm	<1 ppm	PASS	70000
Boron (B)	0.2 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.5 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	3.7 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	2.2 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 2

Black granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	7 ppm	<1 ppm	PASS	70000
Boron (B)	0.2 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.5 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	3.2 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	3.2 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 3

White granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	1.2 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	1.4 ppm	<1 ppm	PASS	70000
Boron (B)	0.2 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.5 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.6 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	4.3 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	0.5 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 4

Red granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	0.2 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	0.7 ppm	<1 ppm	PASS	70000
Boron (B)	0.3 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	1 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	4.6 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	10.7 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 5

Navy granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	0.3 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	242.9 ppm	<1 ppm	PASS	70000
Boron (B)	1.8 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.1 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.6 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	3.7 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	38.6 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 6

Purple granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	0.2 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	214.7 ppm	<1 ppm	PASS	70000
Boron (B)	1.7 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.1 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.4 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	2.6 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	34.5 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 7

Grey granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	6.6 ppm	<1 ppm	PASS	70000
Boron (B)	<0.1 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.3 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	2.8 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	3.1 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 8

Green granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	0.5 ppm	<1 ppm	PASS	70000
Boron (B)	0.2 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.7 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	4.3 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	9.8 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 9

Orange granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	2.8 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	2.9 ppm	<1 ppm	PASS	70000
Boron (B)	0.1 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.6 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	4 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	2.2 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 10

Yellow granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	2.3 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	2.7 ppm	<1 ppm	PASS	70000
Boron (B)	0.1 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.2 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.5 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	3.5 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	1.7 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 11

Blue granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	1.1 ppm	<1 ppm	PASS	70000
Boron (B)	<0.1 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.5 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	3.8 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	22.2 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 12

Pink granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	1.7 ppm	<1 ppm	PASS	70000
Boron (B)	0.2 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.4 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	3.6 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	1.9 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm



Test Method	Result	Requirements
-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:2013+A1:2014

Acid extraction method determined by Inductively Coupled Plasma – Mass Spectrometer (ICP / MS)

Sample 13

Fuchsia granule

	<u>RESULT (ppm)</u>	<u>DETECTION LIMIT</u>	<u>PASS/FAIL</u>	<u>REQUIREMENT (ppm)</u>
Antimony (Sb)	<0.1 ppm	<0.1 ppm	PASS	560
Arsenic (As)	<0.1 ppm	<0.1 ppm	PASS	47
Barium (Ba)	<0.1 ppm	<1 ppm	PASS	18750
Cadmium (Cd)	<0.1 ppm	<0.1 ppm	PASS	17
Chromium (III)	<0.1 ppm	<0.1 ppm	PASS	460
Chromium (VI)	<0.1 ppm	0.1 ppm	PASS	0.2
Lead (Pb)	<0.1 ppm	<0.1 ppm	PASS	160
Mercury (Hg)	<0.01 ppm	<0.01 ppm	PASS	94
Selenium (Se)	<0.1 ppm	<0.1 ppm	PASS	460
Aluminium (Al)	0.9 ppm	<1 ppm	PASS	70000
Boron (B)	<0.1 ppm	<1 ppm	PASS	15000
Cobalt (Co)	<0.1 ppm	<1 ppm	PASS	130
Copper (Cu)	0.4 ppm	<1 ppm	PASS	7700
Manganese (Mn)	0.5 ppm	<1 ppm	PASS	15000
Nickel (Ni)	<0.1 ppm	<1 ppm	PASS	930
Strontium (Sr)	2.9 ppm	<0.1 ppm	PASS	56000
Tin (Sn)	<0.1 ppm	<1.2 ppm	PASS	180000
Organic tin	<0.1 ppm	<0.1 ppm	PASS	12
Zinc (Zn)	18.3 ppm	<1 ppm	PASS	46000

ppm (Part per million)

=mg / kg

<

=Less Than

ND

=Not Detected

Detection Limit

=Mercury (Hg): <0.01 ppm, Others metal: <0.1 ppm

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372 : 2004
 EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
 Sample 1&2&3

1- Composite sample of light pink granule, light pink plastic, black granule, black plastic, white granule (Sample 1&2&3)	
	RESULT (%. w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%. w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372 : 2004
 EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
 Sample 3&4&5

2- Composite sample of white plastic, red granule, red plastic, navy granule, navy plastic (Sample 3&4&5)	
	RESULT (%. w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%. w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372 : 2004
 EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
 Sample 6&7&8

1- Composite sample of purple granule, purple plastic, grey granule, grey plastic, green granule (Sample 6&7&8)	
	RESULT (%. w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%. w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372 : 2004
 EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
 Sample 8&9&10

2- Composite sample of green plastic, orange granule, orange plastic, yellow plastic, yellow granule (Sample 8&9&10)	
	RESULT (%. w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%. w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372 : 2004
 EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
Sample 11&12

1- Composite sample of blue granule, blue plastic, pink granule (Sample 11&12)	
	RESULT (%. w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%. w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372 : 2004

EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004

Sample 12&13

2- Composite sample of pink plastic, fuchsia granule, fuchsia plastic (Sample 12&13)	
	RESULT (%, w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%, w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
<p><u>Sample 1</u></p> 	<p><u>Sample 2</u></p> 	
<p><u>Sample 3</u></p> 	<p><u>Sample 4</u></p> 	

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
-------------	--------	--------------

Sample 5



Sample 6



Sample 7



Sample 8



Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-turkey.com



Test Method	Result	Requirements
<u>Sample 9</u>		
<u>Sample 10</u>		
<u>Sample 11</u>		
<u>Sample 12</u>		

Test Method	Result	Requirements
-------------	--------	--------------

Sample 13



Sample 14



Sample 15



END OF TEST REPORT